


Kanlux

Заброньовано з kanlux.com.ua



**FAMILY OF HERMETIC
LED LUMINAIRES**

**Kanlux
VARSO**



Kanlux

Завантажено з kanlux.com.ua

Kanlux VARSO LED


Choose the perfect fitting.

Two shapes to choose from:
square (L) and round (O).

Select: **18W or 24W.**

Version with
or without sensor.

Two light colour
temperatures **WW and NW.**



Kanlux

Завантажено з kanlux.com.ua

NEW

Kanlux VARSO HI

Two shapes to choose from:
square (L)
and **round (O)**.

Power: **36W**

Version with
or without a sensor.

Light colour
temperatures **NW**.



Kanlux VARSO HI

The advantages of the new series VARSO HI: **high luminous flux and high end finish.**

This is a very good proposition for developer investments.





Kanlux

Завантажено з kanlux.com.ua

Kanlux VARSO HI

High resistance to weather conditions.


Kanlux VARSO HI is a IP54 rated (dustproof and water splash-proof).

We can use it both: inside (bathrooms, corridors, communication lines, premises, kitchens) as well as outside the buildings: on balconies, terraces, sheds or façade.



IP
54

Kanlux VARSO HI Adjustable motion sensor



Kanlux

Завантажено з kanlux.com.ua

Kanlux VARSO HI

High efficiency

LED integrated

luminaire \geq **100lm/W**



Kanlux

Завантажено з kanlux.com.ua

Kanlux VARSO

Reliable in each
project.



Kanlux

Завантажено з kanlux.com.ua


Kanlux VARSO
Illuminates
and adorns
any interior.




Kanlux VARSO LED



			MOTION SENSOR				
○	26440	VARSO LED 18W-WW-O	-	18W	3000 K	1620 lm	
○	26441	VARSO LED 18W-NW-O	-	18W	4000 K	1700 lm	
□	26442	VARSO LED 18W-WW-L	-	18W	3000 K	1620 lm	
□	26443	VARSO LED 18W-NW-L	-	18W	4000 K	1700 lm	
○	26444	VARSO LED 24W-WW-O	-	24W	3000 K	2160 lm	
○	26445	VARSO LED 24W-NW-O	-	24W	4000 K	2280 lm	
□	26446	VARSO LED 24W-WW-L	-	24W	3000 K	2160 lm	
□	26447	VARSO LED 24W-NW-L	-	24W	4000 K	2280 lm	
□	26980	VARSO LED 18W-NW-L-SE	MICROWAVE	18W	4000 K	1700 lm	
○	26981	VARSO LED 18W-NW-O-SE	MICROWAVE	18W	4000 K	1700 lm	
□	26983	VARSO LED 24W-NW-L-SE	MICROWAVE	24W	4000 K	2280 lm	
○	26984	VARSO LED 24W-NW-O-SE	MICROWAVE	24W	4000 K	2280 lm	



VARSO LED-O



VARSO LED-L




rated voltage: 220-240 AC
 housing material: plastic
 shade material: plastic
 spread angle: 120°
 durability: 20 000h
 protection class: II
IP 54







Kanlux VARSO HI



		MOTION SENSOR			
○	26448 VARSO HI 36W-NW-O	–	36W	4000 K	3600 lm
□	26449 VARSO HI 36W-NW-L	–	36W	4000 K	3600 lm
○	26985 VARSO HI 36W-NW-O-SE	MICROWAVE	36W	4000 K	3600 lm
□	26986 VARSO HI 36W-NW-L-SE	MICROWAVE	36W	4000 K	3600 lm



VARSO HI-O



VARSO HI-L

rated voltage: **220-240 AC**
 housing material: **plastic**
 shade material: **plastic**
 spread angle: **120°**
 durability: **20 000h**
 protection class: **II**
IP 54



Kanlux VARSO LED and Kanlux VARSO HI



well packed